

**Listing of claims:**

1. (currently amended)      A computer-readable storage medium having computer-executable components executed by a processor for testing an electronic system, comprising:  
    a test case scenario object that comprises test methods that are arranged to test ~~an~~ the electronic system;  
    a test harness that is arranged to provide system test services for the test methods; and  
    smart attributes that are arranged in a hierarchy that comprises method level attributes that are arranged to modify parameters of a test method and modify execution of the test method, and parameter level attributes that are arranged to modify the parameter input to the test method and to modify a state of an object after the test method has executed; and utilizing the test case scenario object, the test harness and the smart attributes by executing instructions on the processor to test the electronic system.
2. (Original)    The computer-readable medium of Claim 1, wherein the smart attributes are further arranged to provide a standard way to interact with the smart attributes through a standardized set of interfaces.
3. (Original)    The computer-readable medium of Claim 1, wherein the hierarchy further comprises test class level attributes that are arranged to modify an instantiated object state.
4. (Original)    The computer-readable medium of Claim 3, wherein the test class level attributes are further arranged to modify test extraction of the test method.
5. (Original)    The computer-readable medium of Claim 1, wherein the test methods comprise execution attributes that are arranged to evaluate test method results.
6. (Original)    The computer-readable medium of Claim 1, wherein the test methods comprise supplemental attributes that are arranged to modify the execution of a test method.
7. (Original)    The computer-readable medium of Claim 1, wherein the parameter level attributes are arranged to alter the execution of a test method when an exception is thrown.

8. (currently amended)      A method for automated testing of an electronic system, comprising:

providing smart attributes that comprise method level attributes and parameter level attributes;

providing test methods that are arranged to test ~~an~~ the electronic system, wherein the test methods are stored in a test case scenario object;

providing system test services for the test methods;

using the method level attributes to modify parameters of a test method and modify execution of the test method; ~~and~~

using the parameter level attributes to modify the parameter input to the test method and to modify a state of an object after the test method has executed; and utilizing the smart attributes, the test case scenario object, and the method level attributes by executing instructions on a processor to test the electronic system.

9. (Original)    The method of Claim 8, further comprising providing a standard way to interact with the smart attributes through a standardized set of interfaces.

10. (Original)   The method of Claim 8, further comprising using test class level attributes to modify an instantiated object state.

11. (Original)   The method of Claim 10, further comprising using the test class level attributes to modify test extraction of the test method.

12. (Original)   The method of Claim 8, further comprising using execution attributes to evaluate test method results.

13. (Original)   The method of Claim 8, further comprising using supplemental attributes to modify the execution of a test method.

14. (Original)   The method of Claim 8, further comprising using parameter level attributes to alter the execution of a test method when an exception is thrown.

15. (currently amended)      A test automation system, comprising:  
a processor and a computer-readable medium;  
an operating environment stored on the computer-readable medium and executing on the processor; and  
an execution engine operating under the control of the operating environment, and configured to test an electronic system, comprising:  
a test case scenario object that comprises test methods that are arranged to test ~~an~~ the electronic system;  
a test harness that is arranged to provide system test services for the test methods; and  
smart attributes that are arranged in a hierarchy that comprises method level attributes that are arranged to modify parameters of a test method and modify execution of the test method, and parameter level attributes that are arranged to modify the parameter input to the test method and to modify a state of an object after the test method has executed.
16. (Original) The system of Claim 15, wherein the smart attributes are further arranged to provide a standard way to interact with the smart attributes through a standardized set of interfaces.
17. (Original) The system of Claim 15, wherein the hierarchy further comprises test class level attributes that are arranged to modify an instantiated object state.
18. (Original) The system of Claim 17, wherein the test class level attributes are further arranged to modify test extraction of the test method.
19. (Original) The system of Claim 15 wherein the test methods comprise execution attributes that are arranged to evaluate test method results.
20. (Original) The system of Claim 15 wherein the test methods comprise supplemental attributes that are arranged to modify the execution of a test method.

21. (Original) The system of Claim 15 wherein the parameter level attributes are arranged to alter the execution of a test method when an exception is thrown.

22. (currently amended) A test automation system, comprising:  
means for providing smart attributes that comprise method level attributes and parameter level attributes;

means for providing test methods that are arranged to test an electronic system, wherein the test methods are stored in a test case scenario object;

means for providing system test services for the test methods;

means for using the method level attributes to modify parameters of a test method and modify execution of the test method; and

means for using the parameter level attributes to modify the parameter input to the test method and to modify a state of an object after the test method has executed and means for utilizing the smart attributes, the test case scenario object, the system test services and the method level attributes to test the electronic system...

23. (Original) The system of Claim 22, further comprising providing a standard way to interact with the smart attributes through a standardized interface means.

24. (Original) The system of Claim 22, further comprising means for using test class level attributes to modify an instantiated object state.

25. (Original) The system of Claim 24, further comprising means for using the test class level attributes to modify test extraction of the test method.

26. (Original) The system of Claim 22, further comprising means for using execution attributes to evaluate test method results.

27. (Original) The system of Claim 22, further comprising means for using supplemental attributes to modify the execution of a test method.

28. (Original) The system of Claim 22, further comprising means for using parameter level attributes to alter the execution of a test method when an exception is thrown.